## 1.4 510(k) Summary of Safety and Effectiveness

Submitted by:

Ms. Phuong Nguyen Son

Regulatory Affairs Specialist

AUG - 3 2007

Address:

Nobel Biocare USA LLC 22715 Savi Ranch Parkway Yorba Linda, CA 92887

Telephone:

(714) 282-4800, ext. 7830

Facsimile:

(714) 282-9023

Date of Submission:

May 15, 2007

Classification Name:

Endosseous Dental Implant (21 CFR 872.3640)

Trade or Proprietary

or Model Name:

NobelActive Internal Connection Implant

Legally Marketed Device(s):

SFB & CFB Implants (K061003)

## **Device Description:**

NobelActive Internal Connection Implants are threaded, root-form dental implants intended for use in the upper and/or lower jaw to support prosthetic devices, such as artificial teeth, in order to restore patient esthetics and chewing function to partially or fully edentulous patients.

NobelActive Internal Connection Implants are similar to predicate SFB implants. The NobelActive Internal Connection Implants differ from the predicate device in trade name and implant/abutment connection.

## Indications for Use:

Nobel Biocare's NobelActive implants are endosseous implant intended to be surgically placed in the bone of the upper or lower jaw arches to provide support for prosthetic devices, such as an artificial tooth, in order to restore patient esthetics and chewing function. Nobel Biocare's NobelActive implants are indicated for single or multiple unit restorations in splinted or non-splinted applications. Nobel Biocare's NobelActive implants may be placed immediately and put into immediate function provided that initial stability requirements detailed in the manual are satisfied.





Food and Drug Administration 9200 Corporate Boulevard Rockville MD 20850

AUG - 3 2007

Nobel Biocare AB C/O Phuong Nguyen Son Regulatory Affairs Specialist Nobel Biocare USA LLC 22715 Savi Ranch Parkway Yorba Linda, California 92887

Re: K071370

Trade/Device Name: NobelActive Internal Connection Implant

Regulation Number: 21 CFR 872.3640

Regulation Name: Endosseous Dental Implant

Regulatory Class: II

Product Code: NHA, DZE Dated: May 15, 2007 Received: May 16, 2007

## Dear Ms. Son:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Office of Compliance at (240) 276-0115. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address http://www.fda.gov/cdrh/industry/support/index.html.

Sincerely yours,

Chiu Lin, Ph.D.

Director

Division of Anesthesiology, General Hospital, Infection Control and Dental Devices Office of Device Evaluation Center for Devices and

Radiological Health

KO71370 510(k) Number (if known): Device Name: NobelActive Internal Connection Implant Indications For Use: Nobel Biocare's NobelActive implants are endosseous implant intended to be surgically placed in the bone of the upper or lower jaw arches to provide support for prosthetic devices, such as an artificial tooth, in order to restore patient esthetics and chewing function. Nobel Biocare's NobelActive implants are indicated for single or multiple unit restorations in splinted or non-splinted applications. Nobel Biocare's NobelActive implants may be placed immediately and put into immediate function provided that initial stability requirements detailed in the manual are satisfied. Prescription Use X AND/OR Over-The-Counter Use (Part 21 CFR 801 Subpart D) (21 CFR 807 Subpart C) (PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

(Division Sign-Off)

Division of Anesthesiology, General Hospital

Infection Control, Dental Devices

Page 1 of \_1\_\_\_

000007